

# **850 Purchase Order**

**X12/V4010/850: 850 Purchase Order**

**Version: 1.1 Draft**

**Author: ScanSource EDI Support**

**Publication:**

**Trading Partner: Customers**

**Notes:**

# Table of Contents

<b>850</b>	<b>Purchase Order</b>	<b>1</b>
ISA	Interchange Control Header	3
GS	Functional Group Header	5
ST	Transaction Set Header	7
BEG	Beginning Segment for Purchase Order	8
REF	Reference Identification	9
CSH	Sales Requirements	10
TD5	Carrier Details (Routing Sequence/Transit Time)	11
N9	Loop N9	16
N9	Reference Identification	17
MSG	Message Text	18
N1	Loop N1	19
N1	Name	20
N2	Additional Name Information	21
N3	Address Information	22
N4	Geographic Location	23
REF	Reference Identification	24
PER	Administrative Communications Contact	26
PO1	Loop PO1	28
PO1	Baseline Item Data	29
PID	Loop PID	31
PID	Product/Item Description	32
CTT	Loop CTT	33
CTT	Transaction Totals	34
SE	Transaction Set Trailer	35
GE	Functional Group Trailer	36
IEA	Interchange Control Trailer	37

# 850 Purchase Order

---

## Functional Group=PO

This Draft Standard for Trial Use contains the format and establishes the data contents of the Purchase Order Transaction Set (850) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to the placement of purchase orders for goods and services. This transaction set should not be used to convey purchase order changes or purchase order acknowledgment information.

**Not Defined:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	ISA	Interchange Control Header	M	1			Must use
	GS	Functional Group Header	M	1			Must use

**Heading:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BEG	Beginning Segment for Purchase Order	M	1			Must use
050	REF	Reference Identification	O	>1			Used
110	CSH	Sales Requirements	O	5			Must use
240	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12			Must use

<u>LOOP ID - N9</u>					<u>1000</u>		
295	N9	Reference Identification	O	1			Must use
300	MSG	Message Text	O	1000			Used

<u>LOOP ID - N1</u>					<u>200</u>		
310	N1	Name	O	1			Must use
320	N2	Additional Name Information	O	2			Used
330	N3	Address Information	O	2			Used
340	N4	Geographic Location	O	>1			Used
350	REF	Reference Identification	O	12			Used
360	PER	Administrative Communications Contact	O	>1			Used

**Detail:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<u>LOOP ID - PO1</u>					<u>100000</u>	<u>N2/010L</u>	
010	PO1	Baseline Item Data	M	1		N2/010	Must use
<u>LOOP ID - PID</u>					<u>1000</u>		
050	PID	Product/Item Description	O	1			Not used

**Summary:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<u>LOOP ID - CTT</u>					<u>1</u>	<u>N3/010L</u>	

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	CTT	Transaction Totals	O	1		N3/010	Must use
030	SE	Transaction Set Trailer	M	1			Must use

**Not Defined:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	GE	Functional Group Trailer	M	1			Must use
	IEA	Interchange Control Trailer	M	1			Must use

**Notes:**

2/010L PO102 is required.

2/010 PO102 is required.

3/010L The number of line items (CTT01) is the accumulation of the number of PO1 segments. If used, hash total (CTT02) is the sum of the value of quantities ordered (PO102) for each PO1 segment.

3/010 The number of line items (CTT01) is the accumulation of the number of PO1 segments. If used, hash total (CTT02) is the sum of the value of quantities ordered (PO102) for each PO1 segment.

# ISA Interchange Control Header

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 16

User Option (Usage): Must use

To start and identify an interchange of zero or more functional groups and interchange-related control segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ISA01	I01	<b>Authorization Information Qualifier</b>	M	ID	2/2	Not used
<p><b>Description:</b> Code to identify the type of information in the Authorization Information  <b>All valid standard codes are used.</b></p>						
ISA02	I02	<b>Authorization Information</b>	M	AN	10/10	Not used
<p><b>Description:</b> Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)</p>						
ISA03	I03	<b>Security Information Qualifier</b>	M	ID	2/2	Not used
<p><b>Description:</b> Code to identify the type of information in the Security Information  <b>All valid standard codes are used.</b></p>						
ISA04	I04	<b>Security Information</b>	M	AN	10/10	Not used
<p><b>Description:</b> This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)</p>						
ISA05	I05	<b>Interchange ID Qualifier</b>	M	ID	2/2	Must use
<p><b>Description:</b> Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified  <b>All valid standard codes are used.</b></p>						
ISA06	I06	<b>Interchange Sender ID</b>	M	AN	15/15	Must use
<p><b>Description:</b> Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element</p>						
ISA07	I05	<b>Interchange ID Qualifier</b>	M	ID	2/2	Must use
<p><b>Description:</b> Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified</p> <p><b>User Note 1:</b> <i>ScanSource Qualifier:12</i></p>						
ISA08	I07	<b>Interchange Receiver ID</b>	M	AN	15/15	Must use
<p><b>Description:</b> Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them</p>						

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		<p>CATALYST: 8003905376            PARACON: 8009981221  <b>User Note 1:</b> SCANSOURCE: 8642882432            SCANSOURCE SECURITY: 8009648994            TEST: 8643298222</p>				
ISA09	I08	<b>Interchange Date</b>	M	DT	6/6	Must use
		<b>Description:</b> Date of the interchange				
ISA10	I09	<b>Interchange Time</b>	M	TM	4/4	Must use
		<b>Description:</b> Time of the interchange				
ISA11	I10	<b>Interchange Control Standards Identifier</b>	M	ID	1/1	Must use
		<b>Description:</b> Code to identify the agency responsible for the control standard used by the message that is enclosed by the interchange header and trailer <b>All valid standard codes are used.</b>				
ISA12	I11	<b>Interchange Control Version Number</b>	M	ID	5/5	Must use
		<b>Description:</b> Code specifying the version number of the interchange control segments <b>All valid standard codes are used.</b>				
ISA13	I12	<b>Interchange Control Number</b>	M	N0	9/9	Must use
		<b>Description:</b> A control number assigned by the interchange sender				
ISA14	I13	<b>Acknowledgment Requested</b>	M	ID	1/1	Must use
		<b>Description:</b> Code sent by the sender to request an interchange acknowledgment (TA1) <b>All valid standard codes are used.</b>				
ISA15	I14	<b>Usage Indicator</b>	M	ID	1/1	Must use
		<b>Description:</b> Code to indicate whether data enclosed by this interchange envelope is test, production or information <b>All valid standard codes are used.</b>				
ISA16	I15	<b>Component Element Separator</b>	M		1/1	Must use
		<b>Description:</b> Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator				

# GS Functional Group Header

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 8

**User Option (Usage):** Must use

To indicate the beginning of a functional group and to provide control information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GS01	479	<b>Functional Identifier Code</b>	M	ID	2/2	Must use

**Description:** Code identifying a group of application related transaction sets

**Code Name**

PO Purchase Order (850)

GS02	142	<b>Application Sender's Code</b>	M	AN	2/15	Must use
------	-----	----------------------------------	---	----	------	----------

**Description:** Code identifying party sending transmission; codes agreed to by trading partners

GS03	124	<b>Application Receiver's Code</b>	M	AN	2/15	Must use
------	-----	------------------------------------	---	----	------	----------

**Description:** Code identifying party receiving transmission; codes agreed to by trading partners

**User Note 1:**  
 CATALYST: 8003905376  
 PARACON: 8009981221  
 SCANSOURCE: 8642882432  
 SCANSOURCE SECURITY: 8009648994  
 TEST: 8643298222

GS04	373	<b>Date</b>	M	DT	8/8	Must use
------	-----	-------------	---	----	-----	----------

**Description:** Date expressed as CCYYMMDD

GS05	337	<b>Time</b>	M	TM	4/8	Must use
------	-----	-------------	---	----	-----	----------

**Description:** Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

GS06	28	<b>Group Control Number</b>	M	N0	1/9	Must use
------	----	-----------------------------	---	----	-----	----------

**Description:** Assigned number originated and maintained by the sender

GS07	455	<b>Responsible Agency Code</b>	M	ID	1/2	Must use
------	-----	--------------------------------	---	----	-----	----------

**Description:** Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480

**All valid standard codes are used.**

GS08	480	<b>Version / Release / Industry Identifier Code</b>	M	AN	1/12	Must use
------	-----	---	---	----	------	----------

**Description:** Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed				
		<b><u>Code</u></b>				
		<b><u>Name</u></b>				
		004010				Draft Standards Approved for Publication by ASC X12 Procedures Review Board through October 1997

**Semantics:**

1. GS04 is the group date.
2. GS05 is the group time.
3. The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.

**Comments:**

1. A functional group of related transaction sets, within the scope of X12 standards, consists of a collection of similar transaction sets enclosed by a functional group header and a functional group trailer.

# ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	<b>Transaction Set Identifier Code</b>	M	ID	3/3	Must use
		<b>Description:</b> Code uniquely identifying a Transaction Set <b>All valid standard codes are used.</b>				
ST02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

## Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

# BEG Beginning Segment for Purchase Order

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 4

**User Option (Usage):** Must use

To indicate the beginning of the Purchase Order Transaction Set and transmit identifying numbers and dates

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BEG01	353	<b>Transaction Set Purpose Code</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying purpose of transaction set				
		<b>Code Name</b>				
		00 Original				
BEG02	92	<b>Purchase Order Type Code</b>	M	ID	2/2	Must use
		<b>Description:</b> Code specifying the type of Purchase Order				
		<b>Code Name</b>				
		DS Dropship				
		SA Stand-alone Order				
BEG03	324	<b>Purchase Order Number</b>	M	AN	1/22	Must use
		<b>Description:</b> Identifying number for Purchase Order assigned by the orderer/purchaser				
BEG05	373	<b>Date</b>	M	DT	8/8	Must use
		<b>Description:</b> Date expressed as CCYYMMDD				

## Semantics:

1. BEG05 is the date assigned by the purchaser to purchase order.

# REF Reference Identification

Pos: 050	Max: >1
Heading - Optional	
Loop: N/A	Elements: 3

User Option (Usage): Used

To specify identifying information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

**Code Name**

EU End User's Purchase Order Number

TH 3rd Party Carrier Account Number

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF03	352	Description	X	AN	1/80	Used
-------	-----	-------------	---	----	------	------

**Description:** A free-form description to clarify the related data elements and their content

## Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

## Semantics:

1. REF04 contains data relating to the value cited in REF02.

# CSH Sales Requirements

Pos: 110	Max: 5
Heading - Optional	
Loop: N/A	Elements: 1

**User Option (Usage):** Must use

To specify general conditions or requirements of the sale

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CSH01	563	<b>Sales Requirement Code</b>	O	ID	1/2	Used

**Description:** Code to identify a specific requirement or agreement of sale

### Code Name

BK	Ship Partial - Balance Back Order
SC	Ship Complete

## Syntax Rules:

1. C0203 - If CSH02 is present, then CSH03 is required.
2. P0607 - If either CSH06 or CSH07 is present, then the other is required.
3. P0910 - If either CSH09 or CSH10 is present, then the other is required.

## Semantics:

1. CSH03 is the maximum monetary amount value which the order must not exceed.
2. CSH04 is the account number to which the purchase amount is charged.
3. CSH05 is the date specified by the sender to be shown on the invoice.
4. CSH06 identifies the source of the code value in CSH07.

# TD5 Carrier Details (Routing Sequence/Transit Time)

Pos: 240	Max: 12
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Must use

To specify the carrier and sequence of routing and provide transit time information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD502	66	Identification Code Qualifier	X	ID	1/2	Used
<p><b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)</p> <p><b>Code Name</b> ZZ Mutually Defined</p>						
TD503	67	Identification Code	X	AN	2/80	Used
<p><b>Description:</b> Code identifying a party or other code</p> <p><b>User Note 1:</b> <i>Cutoff Time - Eastern Time, 24 hour clock.</i></p> <p><b>User Note 2:</b> <i>Third Party Option - Customer must supply 3rd party carrier account number in the REF segment</i></p> <p><b>User Note 3:</b> <i>Third Party Option - Customer must supply 3rd party carrier account number in the REF segment</i></p> <p><b>Code Name</b></p> <p>AD2 3rd PARTY DHL (AIRBORNE EXPRESS) 2 DAY</p> <p><b>User Note 1:</b> <i>Cutoff Time - 1730</i></p> <p><b>User Note 2:</b> <i>Third Party Option</i></p> <p>ADE 3rd PARTY DHL (AIRBORNE) AM DELIVERY</p> <p><b>User Note 1:</b> <i>Cutoff Time - 1730</i></p> <p><b>User Note 2:</b> <i>Third Party Option</i></p> <p>ADG 3rd PARTY DHL (AIRBORNE) GROUND</p> <p><b>User Note 1:</b> <i>Cutoff Time - 1730</i></p> <p><b>User Note 2:</b> <i>Third Party Option</i></p> <p>ADP 3rd PARTY DHL (AIRBORNE) AFTERNOON DEL</p> <p><b>User Note 1:</b> <i>Cutoff Time - 1730</i></p> <p><b>User Note 2:</b> <i>Third Party Option</i></p> <p>F23 3rd Party FedEx 2 Day Delivery</p> <p><b>User Note 1:</b></p>						

<b>Code</b>	<b>Name</b>
	<i>Cutoff Time - 2030</i> <b>User Note 2:</b> <i>Third Party Option</i>
F33	3rd Party FedEx Saver <b>User Note 1:</b> <i>Cutoff Time - 2030</i> <b>User Note 2:</b> <i>Third Party Option</i>
FA3	3rd Party FedEx Priority AM Delivery <b>User Note 1:</b> <i>Cutoff Time - 2000</i> <b>User Note 2:</b> <i>Third Party Option</i>
FF3	3RD Party - FedEx First (by 8:30 AM) <b>User Note 1:</b> <i>Cutoff Time - 2000</i> <b>User Note 2:</b> <i>Third Party Option</i>
FG3	3RD PARTY FEDEX GROUND <b>User Note 1:</b> <i>Cutoff Time - 2030</i> <b>User Note 2:</b> <i>Third Party Option</i>
FP3	3rd Party Fedex Next Afternoon Delivery <b>User Note 1:</b> <i>Cutoff Time - 2000</i> <b>User Note 2:</b> <i>Third Party Option</i>
FS3	3rd Party FedEx Saturday Delivery <b>User Note 1:</b> <i>Cutoff Time - 2000</i> <b>User Note 2:</b> <i>Third Party Option</i>
IP3	3rd Party International Priority <b>User Note 1:</b> <i>Cutoff Time - 2000</i> <b>User Note 2:</b> <i>Third Party Option</i>
L23	2 Day Delivery <b>User Note 1:</b> <i>Cutoff Time - 1600</i> <b>User Note 2:</b> <i>Generic Option</i>
L25	3-5 Day Delivery <b>User Note 1:</b>

<b>Code</b>	<b>Name</b>
	<i>Cutoff Time - 1800</i> <b>User Note 2:</b> <i>Generic Option</i>
L50	LTL 5000 Pound Heavy Freight <b>User Note 1:</b> <i>Cutoff Time - 2400</i> <b>User Note 2:</b> <i>Generic Option</i>
LND	Next Day Delivery <b>User Note 1:</b> <i>Cutoff Time - 1400</i> <b>User Note 2:</b> <i>Generic Option</i>
OT3	3rd Party Other <b>User Note 1:</b> <i>Cutoff Time - 1500</i> <b>User Note 2:</b> <i>Generic Option</i>
P2D	2 Day Delivery <b>User Note 1:</b> <i>Cutoff Time - 2030</i> <b>User Note 2:</b> <i>Generic Option</i>
P2S	2 Day Service <b>User Note 1:</b> <i>Cutoff Time - 1800</i> <b>User Note 2:</b> <i>Generic Option</i>
PEC	Canadian 2-3 Day Air Economy <b>User Note 1:</b> <i>Cutoff Time - 2000</i> <b>User Note 2:</b> <i>Generic Option</i>
PFO	Parcel First Overnight (by 8:30 AM) <b>User Note 1:</b> <i>Cutoff Time - 2000</i> <b>User Note 2:</b> <i>Generic Option</i>
PGC	CANADA 2-4 DAY (REMOTE POINTS LONGER) <b>User Note 1:</b> <i>Cutoff Time - 1700</i> <b>User Note 2:</b> <i>Generic Option</i>
PGD	Ground <b>User Note 1:</b>

<b>Code</b>	<b>Name</b>
	<i>Cutoff Time - 1800</i>
	<b>User Note 2:</b>
	<i>Generic Option</i>
POA	Next Day, AM Delivery
	<b>User Note 1:</b>
	<i>Cutoff Time - 2000</i>
	<b>User Note 2:</b>
	<i>Generic Option</i>
POC	Canadian Overnight
	<b>User Note 1:</b>
	<i>Cutoff Time - 2000</i>
	<b>User Note 2:</b>
	<i>Generic Option</i>
POP	Next Day, PM Delivery
	<b>User Note 1:</b>
	<i>Cutoff Time - 2000</i>
	<b>User Note 2:</b>
	<i>Generic Option</i>
PPI	Parcel International Shipments
	<b>User Note 1:</b>
	<i>Cutoff Time - 2000</i>
	<b>User Note 2:</b>
	<i>Generic Option</i>
PSD	Saturday Delivery
	<b>User Note 1:</b>
	<i>Cutoff Time - 2000</i>
	<b>User Note 2:</b>
	<i>Generic Option</i>
SFT	Dropship Software Only
	<b>User Note 1:</b>
	<i>Cutoff Time - 2400</i>
	<b>User Note 2:</b>
	<i>Generic Option</i>
UB3	3rd Party UPS Blue - 2Day Air
	<b>User Note 1:</b>
	<i>Cutoff Time - 1800</i>
	<b>User Note 2:</b>
	<i>Third Party Option</i>
UP3	3rd Party UPS Ground
	<b>User Note 1:</b>
	<i>Cutoff Time - 1800</i>
	<b>User Note 2:</b>
	<i>Third Party Option</i>
UR3	3rd Party UPS RED - Next Day Air
	<b>User Note 1:</b>

**Code Name**

	<i>Cutoff Time - 1800</i>
	<b>User Note 2:</b>
	<i>Third Party Option</i>
WC	Customer Pick Up
	<b>User Note 1:</b>
	<i>Cutoff Time - 2400</i>
	<b>User Note 2:</b>
	<i>Third Party Option</i>

**Syntax Rules:**

1. R0204050612 - At least one of TD502, TD504, TD505, TD506 or TD512 is required.
2. C0203 - If TD502 is present, then TD503 is required.
3. C0708 - If TD507 is present, then TD508 is required.
4. C1011 - If TD510 is present, then TD511 is required.
5. C1312 - If TD513 is present, then TD512 is required.
6. C1413 - If TD514 is present, then TD513 is required.
7. C1512 - If TD515 is present, then TD512 is required.

**Semantics:**

1. TD515 is the country where the service is to be performed.

**Comments:**

1. When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.

**User Note 1:**

*Only one TD5 segment is allowed. Additional TD5 segments will be ignored.*

# Loop N9

Pos: 295	Repeat: 1000
Optional	
Loop: N9	Elements: N/A

User Option (Usage): Used

To transmit identifying information as specified by the Reference Identification Qualifier

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
295	N9	Reference Identification	O	1		Must use
300	MSG	Message Text	O	1000		Used

# N9 Reference Identification

Pos: 295	Max: 1
Heading - Optional	
Loop: N9	Elements: 2

**User Option (Usage):** Must use

To transmit identifying information as specified by the Reference Identification Qualifier

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

**Code Name**

L1 Letters or Notes

ZZ Mutually Defined

N902	127	Reference Identification	X	AN	1/30	Used
------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**Code Name**

NOTE Note to sales rep

## Syntax Rules:

1. R0203 - At least one of N902 or N903 is required.
2. C0605 - If N906 is present, then N905 is required.

## Semantics:

1. N906 reflects the time zone which the time reflects.
2. N907 contains data relating to the value cited in N902.

## User Note 1:

*The N9 segment is required if a MSG segment is present as MSG is a child of the N9 group.*

# MSG Message Text

Pos: 300	Max: 1000
Heading - Optional	
Loop: N9	Elements: 1

**User Option (Usage):** Used

To provide a free-form format that allows the transmission of text information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MSG01	933	<b>Free-Form Message Text</b>	M	AN	1/264	Must use

**Description:** Free-form message text

## Syntax Rules:

1. C0302 - If MSG03 is present, then MSG02 is required.

## Semantics:

1. MSG03 is the number of lines to advance before printing.

## Comments:

1. MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.
2. If MSG02 is "AA - Advance the specified number of lines before print" then MSG03 is required.

# Loop N1

Pos: 310	Repeat: 200
Optional	
Loop: N1	Elements: N/A

**User Option (Usage):** Must use

To identify a party by type of organization, name, and code

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
310	N1	Name	O	1		Must use
320	N2	Additional Name Information	O	2		Used
330	N3	Address Information	O	2		Used
340	N4	Geographic Location	O	>1		Used
350	REF	Reference Identification	O	12		Used
360	PER	Administrative Communications Contact	O	>1		Used

### User Note 1:

*Ship to (ST loop) is required for all orders.*

### User Note 2:

*End user (EU loop) is required for SYMBOL and AVAYA orders.*

### User Note 3:

*Bill to (BT Loop) is only used for very large organizations with multiple billable departments.*

# N1 Name

<b>Pos: 310</b>	<b>Max: 1</b>
<b>Heading - Optional</b>	
<b>Loop: N1</b>	<b>Elements: 2</b>

**User Option (Usage):** Must use

To identify a party by type of organization, name, and code

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use
<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual						
<b>Code Name</b>						
BT Bill-to-Party						
EN End User						
EU End User						
ST Ship To						
N102	93	<b>Name</b>	X	AN	1/60	Must use
<b>Description:</b> Free-form name						

## Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

## Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

# N2 Additional Name Information

Pos: 320	Max: 2
Heading - Optional	
Loop: N1	Elements: 1

**User Option (Usage):** Used

To specify additional names or those longer than 35 characters in length

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N201	93	<b>Name</b>	M	AN	1/60	Must use

**Description:** Free-form name

# N3 Address Information

Pos: 330	Max: 2
Heading - Optional	
Loop: N1	Elements: 2

User Option (Usage): Used

To specify the location of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	<b>Address Information</b>	M	AN	1/55	Must use
		<b>Description:</b> Address information				
N302	166	<b>Address Information</b>	O	AN	1/55	Used
		<b>Description:</b> Address information				

### User Note 1:

*The N3 segment is required for ST and BT loops.*

### User Note 2:

*The N301 is required for ST and BT loops.*

# N4 Geographic Location

Pos: 340	Max: >1
Heading - Optional	
Loop: N1	Elements: 4

**User Option (Usage):** Used

To specify the geographic place of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	<b>City Name</b>	O	AN	2/30	Used
		<b>Description:</b> Free-form text for city name				
N402	156	<b>State or Province Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code (Standard State/Province) as defined by appropriate government agency				
N403	116	<b>Postal Code</b>	O	ID	3/15	Must use
		<b>Description:</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	<b>Country Code</b>	O	ID	2/3	Used
		<b>Description:</b> Code identifying the country				

## Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.

## Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.

### User Note 1:

*The N4 segment is required for ST and BT loops.*

### User Note 2:

*The N401, N402 and N403 are required for ST and BT loops.*

# REF Reference Identification

Pos: 350	Max: 12
Heading - Optional	
Loop: N1	Elements: 3

User Option (Usage): Used

To specify identifying information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

**Code Name**

ZZ Mutually Defined

REF02	127	Reference Identification	X	AN	1/30	Must use
-------	-----	--------------------------	---	----	------	----------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**Code Name**

ANOP AVAYA: Avaya Number of Employees

**User Note 1:**

\*\*\*Valid values for ANOP\*\*\*

- A 2 - 5 Employees
- B 6 - 20 Employees
- C 21 - 50 Employees
- D 51 - 100 Employees
- E 101 - 500 Employees
- F 501 - 1000 Employees
- G 1001 - 5000 Employees
- H Over 5000 Employees
- S STOCK OR N/A

AVIC AVAYA: Avaya Vertical Industry Code

**User Note 1:**

\*\*\*Valid values for AVIC\*\*\*

- ACC Accounting
- AUT Auto Dealerships
- BSV Business Services
- EDU Education
- FIR FIRE
- GOV Government
- HIT Hi Tech
- HTH Health
- LEG Legal
- MAN Manufacturing
- OTH Other
- RET Retail
- STK STOCK OR N/A

EUAC SYMBOL: End User Application Code

<u>Code</u>	<u>Name</u>
EUIC	SYMBOL: End User Industry Code
SOZC	AVAYA: Sales Office Zip Code
VCPID	AVAYA: VCP ID

REF03	352	<b>Description</b>	X	AN	1/80	Used
-------	-----	--------------------	---	----	------	------

**Description:** A free-form description to clarify the related data elements and their content

### Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

### Semantics:

1. REF04 contains data relating to the value cited in REF02.

### User Note 1:

*The REF segment is required if AVAYA or SYMBOL parts are ordered on the Purchase Order.*

### User Note 2:

*All AVAYA codes are required for AVAYA purchases.  
All SYSBOL codes are required for SYMBOL purchases.*

# PER Administrative Communications Contact

Pos: 360	Max: >1
Heading - Optional	
Loop: N1	Elements: 6

User Option (Usage): Used

To identify a person or office to whom administrative communications should be directed

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PER01	366	<b>Contact Function Code</b>	M	ID	2/2	Must use
<b>Description:</b> Code identifying the major duty or responsibility of the person or group named						
<b>Code Name</b>						
IC Information Contact						
ZZ Mutually Defined						
PER02	93	<b>Name</b>	O	AN	1/60	Used
<b>Description:</b> Free-form name						
PER03	365	<b>Communication Number Qualifier</b>	X	ID	2/2	Used
<b>Description:</b> Code identifying the type of communication number						
<b>Code Name</b>						
EM Electronic Mail						
PER04	364	<b>Communication Number</b>	X	AN	1/80	Used
<b>Description:</b> Complete communications number including country or area code when applicable						
PER05	365	<b>Communication Number Qualifier</b>	X	ID	2/2	Used
<b>Description:</b> Code identifying the type of communication number						
<b>Code Name</b>						
TE Telephone						
PER06	364	<b>Communication Number</b>	X	AN	1/80	Used
<b>Description:</b> Complete communications number including country or area code when applicable						

## Syntax Rules:

1. P0304 - If either PER03 or PER04 is present, then the other is required.
2. P0506 - If either PER05 or PER06 is present, then the other is required.
3. P0708 - If either PER07 or PER08 is present, then the other is required.

### User Note 1:

*The end user NAME, PHONE NUMBER and EMAIL are required for SYMBOL purchases as required by SYMBOL.*

### User Note 2:

*Purchaser's NAME, PHONE NUMBER, and / or EMAIL can be included and will be sent to the sales rep as a memo.*

# Loop PO1

<b>Pos: 010</b>	<b>Repeat: 100000</b>
<b>Mandatory</b>	
<b>Loop: PO1</b>	<b>Elements: N/A</b>

**User Option (Usage):** Must use

To specify basic and most frequently used line item data

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	PO1	Baseline Item Data	M	1		Must use
050		Loop PID	O		1000	Not used

# PO1 Baseline Item Data

Pos: 010	Max: 1
Detail - Mandatory	
Loop: PO1	Elements: 11

**User Option (Usage):** Must use

To specify basic and most frequently used line item data

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PO101	350	<b>Assigned Identification</b>	O	AN	1/20	Must use
<b>Description:</b> Alphanumeric characters assigned for differentiation within a transaction set						
<b>User Note 1:</b> Purchaser's line item number						
PO102	330	<b>Quantity Ordered</b>	X	R	1/15	Must use
<b>Description:</b> Quantity ordered						
PO103	355	<b>Unit or Basis for Measurement Code</b>	O	ID	2/2	Must use
<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken						
<b>Code Name</b>						
EA Each						
PO104	212	<b>Unit Price</b>	X	R	1/17	Used
<b>Description:</b> Price per unit of product, service, commodity, etc.						
PO105	639	<b>Basis of Unit Price Code</b>	O	ID	2/2	Not used
<b>Description:</b> Code identifying the type of unit price for an item						
<b>All valid standard codes are used.</b>						
PO106	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used
<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
<b>Code Name</b>						
VP Vendor's (Seller's) Part Number						
PO107	234	<b>Product/Service ID</b>	X	AN	1/48	Used
<b>Description:</b> Identifying number for a product or service						
PO108	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used
<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
<b>Code Name</b>						
MG Manufacturer's Part Number						
PO109	234	<b>Product/Service ID</b>	X	AN	1/48	Used
<b>Description:</b> Identifying number for a product or service						
PO110	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Future

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<b>Code Name</b>				
		UP U.P.C. Consumer Package Code (1-5-5-1)				
PO111	234	<b>Product/Service ID</b>	X	AN	1/48	Future
		<b>Description:</b> Identifying number for a product or service				

### Syntax Rules:

1. C0302 - If PO103 is present, then PO102 is required.
2. C0504 - If PO105 is present, then PO104 is required.
3. P0607 - If either PO106 or PO107 is present, then the other is required.
4. P0809 - If either PO108 or PO109 is present, then the other is required.
5. P1011 - If either PO110 or PO111 is present, then the other is required.
6. P1213 - If either PO112 or PO113 is present, then the other is required.
7. P1415 - If either PO114 or PO115 is present, then the other is required.
8. P1617 - If either PO116 or PO117 is present, then the other is required.
9. P1819 - If either PO118 or PO119 is present, then the other is required.
10. P2021 - If either PO120 or PO121 is present, then the other is required.
11. P2223 - If either PO122 or PO123 is present, then the other is required.
12. P2425 - If either PO124 or PO125 is present, then the other is required.

### Comments:

1. See the Data Element Dictionary for a complete list of IDs.
2. PO101 is the line item identification.
3. PO106 through PO125 provide for ten different product/service IDs per each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

### User Note 1:

*Either the PO107 or PO109 is required. It is suggested that you supply both but only one or the other is required.*

# Loop PID

Pos: 050      Repeat: 1000  
 Optional  
 Loop: PID    Elements: N/A

**User Option (Usage):** Not used

To describe a product or process in coded or free-form format

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
050	PID	Product/Item Description	O	1		Not used

# PID Product/Item Description

Pos: 050	Max: 1
Detail - Optional	
Loop: PID	Elements: 2

User Option (Usage): Not used

To describe a product or process in coded or free-form format

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PID01	349	Item Description Type	M	ID	1/1	Must use
		<b>Description:</b> Code indicating the format of a description				
		<u>Code</u>	<u>Name</u>			
		F	Free-form			
PID05	352	Description	X	AN	1/80	Must use
		<b>Description:</b> A free-form description to clarify the related data elements and their content				

## Syntax Rules:

1. C0403 - If PID04 is present, then PID03 is required.
2. R0405 - At least one of PID04 or PID05 is required.
3. C0703 - If PID07 is present, then PID03 is required.
4. C0804 - If PID08 is present, then PID04 is required.
5. C0905 - If PID09 is present, then PID05 is required.

## Semantics:

1. Use PID03 to indicate the organization that publishes the code list being referred to.
2. PID04 should be used for industry-specific product description codes.
3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
4. PID09 is used to identify the language being used in PID05.

## Comments:

1. If PID01 equals "F", then PID05 is used. If PID01 equals "S", then PID04 is used. If PID01 equals "X", then both PID04 and PID05 are used.
2. Use PID06 when necessary to refer to the product surface or layer being described in the segment.
3. PID07 specifies the individual code list of the agency specified in PID03.

---

# Loop CTT

Pos: 010	Repeat: 1
Optional	
Loop: CTT	Elements: N/A

**User Option (Usage):** Must use

To transmit a hash total for a specific element in the transaction set

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	CTT	Transaction Totals	O	1		Must use

# CTT Transaction Totals

Pos: 010	Max: 1
Summary - Optional	
Loop: CTT	Elements: 1

**User Option (Usage):** Must use

To transmit a hash total for a specific element in the transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	N0	1/6	Must use

**Description:** Total number of line items in the transaction set

## Syntax Rules:

1. P0304 - If either CTT03 or CTT04 is present, then the other is required.
2. P0506 - If either CTT05 or CTT06 is present, then the other is required.

## Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

# SE Transaction Set Trailer

Pos: 030	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	<b>Number of Included Segments</b>	M	NO	1/10	Must use
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments				
SE02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

## Comments:

1. SE is the last segment of each transaction set.

# GE Functional Group Trailer

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

To indicate the end of a functional group and to provide control information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GE01	97	<b>Number of Transaction Sets Included</b>	M	N0	1/6	Must use
		<b>Description:</b> Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element				
GE02	28	<b>Group Control Number</b>	M	N0	1/9	Must use
		<b>Description:</b> Assigned number originated and maintained by the sender				

## Semantics:

1. The data interchange control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.

## Comments:

1. The use of identical data interchange control numbers in the associated functional group header and trailer is designed to maximize functional group integrity. The control number is the same as that used in the corresponding header.

# IEA Interchange Control Trailer

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

To define the end of an interchange of zero or more functional groups and interchange-related control segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IEA01	I16	<b>Number of Included Functional Groups</b>	M	N0	1/5	Must use
<b>Description:</b> A count of the number of functional groups included in an interchange						
IEA02	I12	<b>Interchange Control Number</b>	M	N0	9/9	Must use
<b>Description:</b> A control number assigned by the interchange sender						