

See more.
Solve more.



Keep your government facilities safe

Improve safety and security while increasing
operational efficiency with Pelco's solutions

Mission statement

Pelco is a global leader in the design and development of powerful video security solutions, including video surveillance cameras and sensors for every need and environment.

We are committed to delivering a broad range of high-quality products and systems that help make the world a safer place. Across a wide span of industries, loyal customers and partners turn to us as a provider of purpose-built video technology that is designed for faster deployments, higher levels of system resilience and a lower total cost of ownership.



Cloud-connected cameras

Pelco offers a wide range of video cameras that grows with your business.



Smart Analytics

Our Smart Analytics brings cutting-edge detection technology so you can have better insights and expedite response times when it matters most.



Built on an open platform

Open architecture that's compatible with any system.



Made for any environment

Versatility meets performance. The right camera at the right price point for all your needs.



Trusted and reliable

Devices you can count on to help mitigate risks, detect threats and protect your data and investments.



Put your business in focus

Pelco has over 60 years of video security legacy, as a long-term supplier to public safety and enterprise customers globally.



Elevate

Expect more from your camera with our direct camera-to-cloud technology that combines edge and cloud AI capabilities



Smart Analytics

AI-powered technology for improved detection and faster response times



Customer support

Access to global service centers and regional support specialists



Secure

Our products allow customers to comply with NDAA requirements and all receive FCC authorization (where required)



Open and reliable

Flexible platform for any video management system with industry leading service, support and quality

Pelco portfolio

Our broad range of cameras are built with intelligent analytic capabilities, stacked with features to meet your challenges and easily work with other systems. Expect more from your camera with Elevate, Pelco's direct camera-to-cloud technology that unlocks cameras' capabilities.

| Dome & bullet cameras | PTZ cameras | Panoramic cameras | Specialty cameras | Pelco Smart Analytics |
|---|--|--|---|---|
| Provide focus coverage exactly where you need it, when you need it. | Monitor large areas and capture details with wide and close-up camera views. | Gain total situational awareness with vast area coverage across multiple directions. | Maintain reliable coverage even in harsh environments across multiple directions. | Make quicker and faster response with powerful analytics for improved efficiency. |



Key challenges



Intrusion and perimeter
protection



Tailgating



Internal and
external theft

Intrusion and perimeter protection



Challenges

- Perimeters without physical borders
- Unmanned perimeter
- Insufficient video coverage of large perimeters
- Poor lighting or no lighting
- Delayed response to intruders
- Security personnel cannot effectively monitor all cameras

Solutions

- Low light and thermal cameras identify intruders in poor light and pitch dark
- Panomersive view and tracking moving objects on a geographical map
- Analytics suite detect, classify and alert when people or objects are in zone
- Access control and perimeter intrusion detection integration with third party systems

Tailgating



Challenges

- Crowd gathering and spacing near doors and points of entry
- Keep door open to allow additional individuals to enter without proper credentials
- Vehicle tailgating

Solutions

- Active alerting and real-time event monitoring
- Ability to view & control live and recorded video
- Access and door control integration
- Unified security operations in one single interface
- Dedicated investigation and response
- Tagging and Mapping features to locate event and improve operations efficiency
- Occupancy counting analytics to monitor building space occupancy

Internal and external theft




Challenges

- Security personnel cannot monitor live all cameras
- Active monitoring leads to operator fatigue and information overload
- Insufficient video coverage with blind spots

Solutions

- Cameras for every situation
- VideoXpert VMS and camera edge analytics to proactively detect incident and alert
- Dedicated investigation and response
- Unifying security operations through integrations



Featured cameras

Focused coverage and quality
image detail for government
facilities

PTZ cameras



Spectra Enhanced 8



Spectra Professional 2



Spectra Enh 7 IR Look Up

| | | | |
|-------------------|--|---|---|
| Value Proposition | Revamped design, elevated performance | Cost-effective PTZ for everyday security needs | Integrated IR look up capabilities for expansive coverage in challenging conditions |
| Messaging | Take advantage of a PTZ camera versatility and respond to suspicious events faster with automated insights. | Provides 360° views with high resolution 2MP to monitor large areas while being able to zoom in with 30x optical zoom to get details. | High speed tracking and long range details in poorly lit areas. |
| Features | <ul style="list-style-type: none"> • 122+ dB Wide Dynamic Range • 30x zoom • Onboard FIPS 140-2 L3 certified TPM • Smart Analytics | <ul style="list-style-type: none"> • WDR up to 120 dB • Pro analytics suite • H.265 compression • IK10/IP66 Type 4x | <ul style="list-style-type: none"> • 30° look up above horizon • IR illumination up to 200m • 130 dB Wide Dynamic Range • Direct drive PT control • Advanced analytics suite |
| Models | 2, 4 MP | 2 MP | 2 MP |

Fixed cameras



Sarix Enhanced 4



Sarix Enhanced 4P



Sarix Professional 4



Sarix Corner Mount 3

| | | | | |
|-------------------|--|---|---|---|
| Value Proposition | The perfect balance of performance and value | A versatile, analytics-enabled security solution | A versatile, analytics-enabled security solution | High security corner mount camera |
| Messaging | Bring crucial details in both bright and dark areas for maximized visibility in a breadth of configurations. | Provides sharp, high-quality video, making it ideal for various applications, including forensic investigations. | Provides sharp, high-quality video, making it ideal for various applications, including forensic investigations. | Wall-to-wall and floor-to-ceiling coverage of small/medium spaces |
| Features | <ul style="list-style-type: none"> • True 120 db WDR • IK10 vandal resistant • IP66/67 • Pelco Professional Analytics • IR models | <ul style="list-style-type: none"> • Up to 130 db WDR • IK10 vandal resistant • IP66/67 • Smart Analytics, powered by Motorola Solutions • IR models | <ul style="list-style-type: none"> • Up to 130 db WDR • IK10 vandal resistant • IP66/67 • Smart Analytics, powered by Motorola Solutions • IR models | <ul style="list-style-type: none"> • Wall-to-wall and floor-to-ceiling coverage • Excellent low light performance and IR illumination • Anti-ligature • Vandal-proof IK10+ vandal resistant |
| Models | Box, Wedge 1MP 2MP 3MP 5MP | Dome, Bullet 2MP 3MP 5MP | Dome, Bullet 2MP 3MP 5MP | 1MP 3MP |

Panoramic cameras



Sarix Multi Enhanced



Sarix Multi Pro



Fisheye

| | | | |
|-------------------|---|---|---|
| Value Proposition | Coverage from all angles up to 360-degrees | Optimize multi-directional coverage from a single vantage point | Cost-effective 360° coverage without blind spots |
| Messaging | Never miss a single detail with the Sarix Multi Enhanced. It delivers up to 360-degree views in high-resolution and reduces blind spots with its three or four configurable sensors under one housing. | Providing multi-directional coverage and flexible mounting options, the Sarix Multi Pro Camera series allows you to achieve total coverage across 180, 270 or 360-degrees fields of view from a single vantage point. | Cost-effective and easy-to-install solution that provides 360° panoramic views of large areas from a single vantage point, bringing superior situational awareness without any blind spots. |
| Features | <ul style="list-style-type: none"> Available from 9 to 32 MP 3.3 - 5.7mm varifocal lens 3 or 4 sensor options for up to 360-degree coverage Built-in Pelco Smart Analytics, powered by Motorola Solutions True WDR and SureVision technology | <ul style="list-style-type: none"> True WDR, SureVision Adaptive IR H.265 and H.264 Smart Compression technology ONVIF S,G, T compliance | <ul style="list-style-type: none"> True WDR, SureVision Adaptive IR Pelco Smart Analytics, powered by Motorola Solutions H.265 and H.264 Smart Compression technology IK10, IP66/67, Type 4X |
| Models | In-ceiling Surface Pendant 9MP, 12MP, 15MP, 20MP, 24MP, 32MP | In-ceiling Surface Pendant | In ceiling Surface mount 8MP and 12MP |

Specialty cameras



Esprit Enhanced



Esprit Compact



Sarix Thermal Enhanced 4

| | | | |
|-------------------|--|---|---|
| Value Proposition | Long range detection in difficult lighting conditions | Hardened, mission-critical ptz camera for harsh environments | Long-range thermal detection paired with radiometrics capabilities |
| Messaging | Provides the total package of clear image quality, valuable software features, and time-tested pan/tilt performance | Built to withstand most outdoor environments while maintaining continuous clear, high-resolution live and recorded video. | Harness the power of intelligence-driven analytics and heat-sensing technology to identify threats beyond what is visible to the human eye. |
| Features | <ul style="list-style-type: none"> • Pelco Enhanced Analytics • True Wide Dynamic Range (WDR) • H.264 • NEMA Type 4X, IP66, IK10 • Defog mode: Three Levels of Fog Removal Within the Image | <ul style="list-style-type: none"> • Pelco Smart Analytics • True Wide Dynamic Range (WDR) • H.264, H.265 smart compression, Motion JPEG • Wide temperature range: -40°C to +65°C (-40°F to 149°F) • MIL-STD-167-1A and 810G • IK10, Type 4X/6P, IP66/67/68 • Wind resistant up to 230 kph (143 mph) | <ul style="list-style-type: none"> • Pelco Smart Analytics • Radiometrics capabilities • H.264, H.265 smart compression, Motion JPEG • Wide temperature range: -40°C to +65°C (-40°F to 149°F) • IK10, Type 4X, IP66/67/68 |
| Models | <ul style="list-style-type: none"> • 2 MP • Standard • Pressurized with Wiper • IR + White Light Illuminator | <ul style="list-style-type: none"> • PTZ: 2 MP (IR illuminator optional) • Bispectral PTZ: 2 MP + VGA, 2 MP + QVGA | <ul style="list-style-type: none"> • QVGA and VGA lens options |

Long-range thermal cameras



Silent Sentinel Aeron



Silent Sentinel Jaegar

| | | |
|--------------------------|---|---|
| Value proposition | Mid-range camera platform with Long-Wave Infrared (LWIR) thermal detection capabilities and a HD visible sensor. | Long-range thermal camera platform (LWIR and MWIR) with a HD visible sensor, built for high-end security needs. |
| Messaging | The Aeron delivers the clarity, durability and flexibility you expect for tough security needs, day and night and in all conditions. Detect threats from short to mid distances, including humans up to 4.6 km and vehicles up to 14 km away. | Gain complete control of your maritime, aviation and border operations with a high-performance PTZ camera. See from long distances in any condition, including humans up to 24 km and vehicles up to 31 km away. This camera platform can easily be customized with various accessories to fit high-security needs. |
| Features | <ul style="list-style-type: none"> ● Fixed thermal lenses: 53mm, 75mm, 100mm ● Zoom thermal lenses: 25-75mm, 26-105mm ● Visible: 30x Full HD Sony Sensor ● Easy install with various mounting options, including on a vehicle | <ul style="list-style-type: none"> ● LWIR and MWIR models available ● Daylight: 500mm (x30), 1000mm (x60, x120) ● Thermal: LWIR 25-225mm (x10), 30-300mm (x10) ● Thermal: MWIR: 300mm, 550mm, 785mm, 1000mm ● NexOS analytics: video tracking, target classification, dynamic bore-sighting and gyro ● Accessories: Illuminators, speakers, drone counters, rangefinders and more |
| Models | <ul style="list-style-type: none"> ● Contact your sales representative | <ul style="list-style-type: none"> ● Contact your sales representative |

License Plate Recognition



**L6Q Quick-deploy
LPR camera**



**VehicleManager
Enterprise**



**Mobile
Companion**



**LinC
Integration**

| | | | | |
|-------------------|---|--|--|--|
| Value Proposition | Rapid install. Rapid insights. Safety shouldn't be limited by technical complexity. | Turning license plates into leads | Intelligence in the palm of your hand | Get more out of your existing cameras. |
| Messaging | The L6Q camera combines sophisticated LPR technology with consumer-grade ease of installation. Easily deploy this camera almost anywhere with versatile mounting and power options. | Vehicle intelligence solution that builds upon the basics of LPR with patented, powerful analytics to help your team instantly transform license plate recognition data into actionable insights. | MC transforms your mobile device into a powerful, secure LPR and facial recognition data collection, analysis and alerting tool. | LinC integrates LPR technology with your existing Pelco cameras, so you can find vehicles of interest faster and uncover transformative insights - all with the systems you already have in place. |
| Features | <ul style="list-style-type: none"> • Capture vehicles up to 100 mph (161 km/h) • Solar or battery operated • 2 lanes of coverage • | <ul style="list-style-type: none"> • Plate and location-based search • Watchlist and alert management • Year/make/model/color filtering • Patented analytics • Data sharing | <ul style="list-style-type: none"> • Multi-plate scanning • App-based available on iPhone and Android | <ul style="list-style-type: none"> • Make use of minimum specs • Activate in any architecture • Amplify awareness and insight |
| Models | Solar or battery | N/A | N/A | Minimum specs required |

Detect incidents without using audio or video recording



Product features



All-in-one device to detect vaping, health and safety events



Two models: standard (15 sensors) and occupancy (16 sensors)



2-in-1 cable installation by daisy-chaining two sensors to one cable



Customizable led-colored alerts on the device for increased awareness




Easily integrate the device with your third-party VMS



Real-time notifications via your VMS, plus get email and mobile alerts via HALO Cloud

HALO Smart Sensors and HALO Cloud



Keep all areas safe

Be notified of various anomalies through the 15/16 sensors included within a single device.

Detect vaping, smoking with THC, aggression, motion, occupancy, gunshots and more, all while protecting the privacy of individuals by not using audio or visual recording.



Another layer of security

With its multiple sensors, the HALO Smart Sensor adds another dimension of information to your security systems by alerting you of events that would go unnoticed by security cameras.

Plus, visually identify the event that triggered a HALO Smart Sensor through the multicolored LEDs that illuminate the device.



Gain insights with HALO Cloud

Take your insights to greater heights with analytics and reports. Allocate resources efficiently and quickly respond to emerging events by gaining valuable insights with trend analysis and customized reports.

Stay one step ahead with real-time notifications delivered directly to your email and mobile devices.



Available in APAC, EMEA and LATAM, with specific country limitations, for direct purchase.

Special modifications request programs



Retrofit new products into existing installations



Blend cameras and accessories with custom colors



Adapt architectural features through custom fabrication



Analytics

Smart Analytics suite



Classify
objects on your
site with ONVIF
profile M
support



Detailed object
behavior

Gain efficiencies

Proactively monitor the flow of traffic by automating tasks and alerts for better incident management.

React faster

Use visual cues and notifications to reduce response times before events escalate into serious incidents.

Keep sites running smoothly

Receive alerts on crowd flow to mitigate queues and foot traffic in retail stores and other commercial spaces.

Enhance threat detection

Objects in Area: the event is triggered when the selected object type moves into the region of interest.

Increase awareness

Direction Violated: the event is triggered when an object moves in the prohibited direction of travel.

React quickly to changing events

Tamper Detection: the event is triggered when the scene unexpectedly changes.

Advanced analytics suite



**Improve threat
detection
accuracy**

Classify objects

VxToolbox includes the ability to detect both stationary and moving objects.

Speed up response times

Processing power enables the tracking of over 50 objects and real-time speed at 10fps.

Optimize your operations

Confidence filter enables you to customize the accuracy threshold to meet your business needs.



**Optimize
response times**

Enhance your security

Vx OpsCenter shows detection zones that highlight alarm and bounding boxes around detected people and vehicles.

Increase accuracy

Real-time responders can set up rules and alarms based on metadata streams in VideoXpert.

Improve forensic results

VideoXpert Rules Engine behaviors and Analytic Events help operators retrieve critical video footage.

Elevate

Your camera can do more

Elevate uses the cloud to **expand your camera's capabilities:**

- Combines edge and cloud AI with a Pelco camera
- Embedded in Pelco cameras
- No additional hardware needed
- Only a few seconds to be enabled and receive instant benefits

ONVIF-conformant

All analytic events processed by Elevate are sent from the camera to your VMS using ONVIF conformant events and metadata .



Expect more from your camera

Unlock new capabilities and take your Pelco cameras to their fullest potential by connecting them to Elevate, Pelco's direct camera-to-cloud technology. Elevate combines edge and cloud AI to make your Pelco cameras more powerful, providing exceptional performance and detection accuracy to maximize your efficiency.



Image Health

- Daily reports
- Multi-location support



Unified Site Management

- Site sharing with a third-party
- Single interface



Automatic Camera Updates

- New firmware notification
- Automatic or scheduled firmware updates

Elevate current features are free for the duration of your Pelco camera warranty period.

Professional services & support

| Special modification request | Field services | Training | Advanced technical support | Support community |
|--|---|------------------------------------|--|---|
| Adapt to architectural features through custom fabrication (cameras, mounts, enclosures) | On-site and remote system setup configuration | In-person and virtual environments | Global support/service centers | Knowledge based articles, how-to videos |
| Custom colors to blend the camera into the Surroundings and/or custom finishes to meet corrosive environments specifications | Software upgrades | Installation, design, and adoption | Regional support specialists for troubleshooting | Community discussions |
| Custom VMS hardware with larger storage, memory and SSD capacity | | Product videos, sales tools | 24/7 support | Chat with support |

An aerial view of a city skyline, likely Chicago, featuring numerous skyscrapers and a highway interchange. A large, stylized blue circular graphic is overlaid on the image, consisting of two concentric circles. The text "Thank you" is centered within the white space of the inner circle.

Thank you